Revolabs is the premier provider of wireless audio solutions for unified communications, enterprise collaboration, and professional audio applications across a wide range of markets. Offering unmatched audio quality that allows users to "hear every word," the company's wireless conferencing and microphone systems are utilized across the globe for a variety of applications, from webcasts and video conferencing to podcasts and broadcasting. Combining the ultimate in flexibility with sleek, stylish form factors, Revolabs' solutions cut the cord, facilitating natural mobility by allowing participants to move about a workspace and still be heard, without being held back by wires.

Professional Wireless Microphone Systems

Executive HD™

4 and 8 Channel HD Wireless Microphone System for Executive Boardrooms and Large Conference Rooms

Revolabs Executive HD 4 and 8 channel system is designed specifically for environments requiring a large number of wireless microphones such as executive boardrooms and large conference rooms, also for video conferencing and voice reinforcement. The Executive HD 4 and 8 channel system supports up to 8 microphones per unit, and also four Executive HD systems can be linked together to support up to 32 microphones in Maximum Density Mode (without 2-way audio). It also has a reduced power mode which allows more Executive HD systems to be used in a given area.

FEATURES:

- Utilizes Revolabs DFS20™ wide band frequency technology for improved intelligibility of speech.
- Full high definition audio support from 50Hz to 14kHz.
- 4 or 8 channels per system, 32 channels maximum (4 systems).
- RF Armor™ wireless technology means no cell phone interference.
- Mix and match HD wireless microphones: wearable, tabletop (omni and directional), XLR adapter for handheld mic, and Countryman adapter for earset mic*.
- LCD display on front of unit to view or change system settings.
- Secure: 128 bit encrypted voice signal for highest level of security between microphones and base station.
- Rechargeable battery = 8 hours talk time, 2 hours to recharge.
- Remote management with HD Control Panel Windows®-based software for monitoring and controlling neetworked systems.

01-HDEXEC-NM

All microphones sold separately

JENNE PART NUMBER:

01-HDEXEC-NM*	HD 8-channel System, No microphones*
01-HDEXEC4-NM*	HD 4-channel System, No microphones*
01-HDEXEC-NM-1Y	HD 8-channel System with 1 Year Service Plan
01-HDEXEC-NM-3Y	HD 8-channel System with 3 Year Service Plan
01-HDEXEC4-NM-1Y	HD 4-channel System with 1 Year Service Plan
01-HDEXEC4-NM-3Y	HD 4-channel System with 3 Year Service Plan
10-HDCTRLPNL-GOLD	Gold HD Control Panel Software

*Requires HD Mics (sold separately). See HD wireless microphones (see below and on following pages).

*** Not a stand alone unit: requires additional device such as ClearOne Converge Pro conferencing unit.**

HD Wireless Microphones

HD Wireless Microphones

FEATURES:

- Microphones for all RevoLabs HD Wireless Systems

JENNE PART NUMBER:

01-HDEXEMIC-11	HD RF-Armor Wearable
01-HDTBLMIC-OM-11	HD RF-Armor Omni-directional*
01-HDTBLMIC-DR-11	HD RF-Armor Uni-directional*
01-HDXLRMIC-11	HD Dynamic XLR Wireless Adapter
01-HDCOMAN-11	HD Countryman Adapter

*Tabletop Microphones

Shown Left to right:

XLR Adapter for handheld mic, Countryman adaptor for earset mic, Wearable, Omni-directional tabletop mic, Directional tabletop mic

Single/Dual Channel HD Solutions

Single and Dual Channel HD Wireless Microphone Systems

The HD Single/Dual Channel Systems are ideal wherever a wired mic can be used, making the system perfect for video-conferencing, voice lift and PA applications.

FEATURES:

- Includes Charger Base (one or two mic charging docks) and a Base Station
- Radio Frequency: 1.92 to 1.93 GHz
- Mics not included (see HD wireless microphones)
- Not upgradeable or expandable

JENNE PART NUMBER:

02-HDSGL-NM	HD Single Channel System, 1-Ch, 1 analog I/O, w/o mic
02-HDDUAL-NM	HD Dual Channel System, 2-Ch, 2 analog I/O, w/o mic
02-HDSGL-NM-1Y	Single Channel 1 Year Silver Service Plan
02-HDSGL-NM-3Y	Single Channel 3 Year Silver Service Plan
02-HDDUAL-NM-1Y	Dual Channel 1 Year Silver Service Plan
02-HDDUAL-NM-3Y	Dual Channel 3 Year Silver Service Plan

02-HDDUAL-NM

Every effort has been made to ensure the integrity of this catalog. Jenne, Inc. cannot be held responsible for any misrepresentation associated with any products due to omissions, typographic errors or misprints.

Professional Wireless Microphone Systems

Solo™ Executive Wireless Microphone System

4 and 8-Channel Wireless Microphone Systems

The Solo™ Executive components are best suited for permanently installed Audio/Visual systems. RF Armor ™ Technology blocks unwanted audio interference and GSM noise from cell phones, etc. Rechargeable battery provides up to 8 hours talk time Secure 128-bit encription, Applicable for Audio conferencing, Video conferencing, Education. Video carts and Installed Audio. Mix and match with any combination of Solo Wireless Microphones.

FEATURES:
- Audio bandwidth: 100Hz–6.8KHz
- Wireless • Flexible
- Secure • Rechargeable
- Cost-effective • Easy-to-use

JENNE PART NUMBER:

01-EXESYS-BLK-NM 8-channel System, includes base station, charger base and power supply.

01-EXESYS4-BLK-NM 4-channel System, includes base station, charger base and power supply.

01-EXESYS-BLK-NM

Microphones NOT Included

Solo Wireless Microphones

Solo™ Wearable Wireless Microphone

High quality wideband audio for exceptional voice reproduction in a very small form factor. Requires Revolabs Solo™ or Fusion™ system. Eight hours of continuous use on a single charge. Recharges in two hours.

JENNE PART NUMBER:

01-EXEMICEX-BLK-11

01-EXEMICEX-BLK-11

Quarter

Solo™ TableTop Wireless Boundary Microphone

High quality wideband audio for exceptional voice reproduction in a very small form factor. Used with Revolabs Fusion and Solo Systems. Eight hours of continous use on a single charge. Recharges in two hours, or add the AC adapter accessory, eliminating the need to return the unit to a charger.

JENNE PART NUMBER:

05-TBLMICEX-OM-11 Omni-directional

05-TBLMICEX-DR-11 Uni-directional

Omni-directional:
360 degree pick up
Uni-directional:
+/- 45 degrees pick up

05-TBLMICEX-OM-11

Solo™ Universal Wireless Adapter

XLR Wireless Adapter for Handheld Microphones

The Solo XLR Wireless Adapter provides a robust and secure wireless link to any dynamic handheld microphone. Wideband audio provides exceptional voice reproduction. Can be used with Revolabs Fusion and Solo Systems. Eight hours of continuous use on a single charge. Recharges in two hours. Perfect for "green" energy-efficient buildings! Enjoy the wireless freedom during open mic meetings, Q&A sessions, classrooms, etc.

JENNE PART NUMBER:

06-XLRMIC-BLK-11

06-XLRMIC-BLK-11

Quarter

Solo Single Channel Solution

Solo Single Channel Wireless Microphone System

Solo Single Channel System is "Plug and Play" with audio/video conferencing systems to improve the sound quality. Includes Base/Charger, USB cable, power supply. Choose your Solo microphone (ordered separately).

APPLICATIONS:
- Tele-conferencing
- Video conferencing
- Distance learning
- Speech recognition

JENNE PART NUMBER:

02-DSKSYS-LN-NM Base/charger, cable and power supply (order your Solo mic, shown above, separately)

02-DSKSYS-LN-NM

Wireless Conference Phone Systems

Revolabs, Inc. delivers innovative wireless audio products for both enterprise collaboration applications and professional audio applications. Their products are used across a wide range of industries including corporations of all kinds, educational institutions, houses of worship, etc. Revolabs wireless microphone systems provide superior audio performance for broadcasting, live sound, audio and video conferencing, distance learning, webcasts and other audio applications. All Revolabs microphones are wireless, secure, rechargeable, flexible, easy-to-use and cost-effective. With the release of the FLX™, Revolabs completes their unified communications offering for the entire enterprise spectrum. The xTag solutions offer premier audio for the PC workspace, FLX satisfies the need for versatility in the small to mid-sized conference rooms, and the HD Executive solutions are designed for boardrooms and large conference rooms.

FLX™

The Conference Phone, Evolved

Revolabs FLX is designed specifically for small-to mid-sized conference rooms, executive offices and SoHo environments. Not designed as a single component like traditional conference phones, the wireless FLX is comprised of several separate components and provides unprecedented freedom in placement of the speaker, microphones and dial pad for optimum sound quality. In an executive office, the speaker and a microphone could be on a small conference table, while the second microphone is on the executive's desk. The superior sound quality of Revolabs FLX patent-pending audio technology allows conferees to feel as if they are all in the same room.

FEATURES:

- **Wireless**
  - No wires on the meeting table, perfect for high end rooms or glass meeting tables.
  - Microphones and speaker are independant of each other so a variety of FLX microphones can be used to match your needs: lapel (1 person), directional tabletop (2-3 people), omni-directional tabletop (6-10 people).
  - Microphones, speaker and dialer can be placed wherever you need them in the room.
- **Flexible**
  - The FLX dialer can be used to set up a conference call or work like a telephone for handset calls. FLX is compatible with all major brands of video conferencing systems and can be used as an audio interface with a video conferencing unit. Helps reduce clutter in the conferencing room.
- **Connectivity**
  - Phone, AUX in/out, Bluetooth: FLX can be your sole collaboration device independent of the communication channel you use. Allows connecting to your cell phone or Bluetooth-enabled computer – web calls and cell phone calls can now be conference calls.
- **Secure**
  - 128 bit encrypted voice signal for highest level of security between microphones, speaker and base station, so no one can listen in on your conversation.
- **Premier Audio**
  - Wideband audio support from 80-11,000 Hz = best audio in the conference room and at the far end of the call.
  - Does not steal bandwidth from your WiFi network. FLX uses digital RF wireless technology operating in the 1.9 GHz ISM band which minimizes interference with other technology such as UHF.
  - Cell phone interference is eliminated through Revolabs RF Armor™ Technology.
- **Rechargeable**
  - Speaker and microphones battery life (talk time) = 8 hours, HD base station battery life = 8 hours.
- **Cost-effective • Easy-to-Use • Easy-to-Install**
- **4 microphone version to be announced, call Jenne for availability.**

10-FLX2-101-POTS

JENNE PART NUMBER:

10-FLX2-002-POTS	2 mic FLX analog version with 2 wearable mics
10-FLX2-020-POTS	2 mic FLX analog version with 2 directional mics
10-FLX2-101-POTS	2 mic FLX analog version with 2 omni-directional mics
10-FLX2-200-POTS	2 mic FLX analog version with 1 omni-directional and 1 wearable mic

Every effort has been made to ensure the integrity of this catalog. Jenne, Inc. cannot be held responsible for any misrepresentation associated with any products due to omissions, typographic errors or misprints.

Wireless Microphone Systems

Fusion™ Wireless Microphone System

Fusion 4 and 8 Microphone Plug and Play Systems

Revolabs Plug and Play Solutions are best suited for the Audio/Visual system that is not installed in the room as a permanent feature. These systems are used in small and medium-sized rooms where price and ease-of-installation are major concerns.

FEATURES:
• Wireless • Flexible • Rechargeable • Secure • Cost-effective • Easy-to-Use • Easy-to-Install

JENNE PART NUMBER:

Fusion 8-Microphone Plug and Play System:

01-8FUSION-NM	No Microphones
01-8FUSION-NM-1Y	With 1 year Silver Service Plan
01-8FUSION-NM-3Y	With 3 year Gold Service Plan

Fusion 4-Microphone Plug and Play System:

01-4FUSION-NM	No Microphones
01-4FUSION-NM-1Y	With 1 year Silver Service Plan
01-4FUSION-NM-3Y	With 3 year Gold Service Plan

OPTIONAL:
07-TTDIAL-01 Table Top Dialer

FUSION WIRELESS SYSTEM

Fusion Bundles available
(Contact your Jenne sales representative)

Tabletop Dialer for Fusion™ Wireless Microphone System

Use the Tabletop Dialer to dial and manage the conference phone numbers for the Revolabs Fusion Wireless Microphone System. Wireless RF remote control with touch pad and digital display with stored memory for quick dialing.

FEATURES:
- Backlit 2 line LCD screen • Caller ID • Call/hang-up
- Volume Control • Flash/Redial/Mute buttons
- Mute/Call in progress indicator lights
- Edit/Store phone numbers • Speed-dial numbers

JENNE PART NUMBER: **07-TTDIAL-01**

07-TTDIAL-01

Solo™ Universal Wireless Adapter

XLR Wireless Adapter for Handheld Microphones

The Solo XLR Wireless Adapter provides a robust and secure wireless link to any dynamic handheld microphone. Wideband audio provides exceptional voice reproduction. Can be used with Revolabs Executive, Fusion and Solo Systems. Eight hours of continuous use on a single charge. Recharges in two hours. Perfect for "green" energy-efficient buildings! Enjoy the wireless freedom during open mic meetings.

JENNE PART NUMBER:
06-XLRMIC-BLK-11

Quarter

06-XLRMIC-BLK-11

xTag USB Solution for PC

USB Wireless Microphone System

The xTag is ideal for podcasting, VoIP, SKYPE, web conferencing, distance education, speech recognition, and many other audio applications. Connect to a Windows® or an Apple® PC via the USB interface. Does not require any device drivers or other software.

FEATURES:
- Wireless
- Rechargeable
- Secure and Easy-to-Use

JENNE PART NUMBER: **02-DSKSYS-D**

02-DSKSYS-D

Solo™ Wearable Wireless Microphone

High quality wideband audio for exceptional voice reproduction in a very small form factor. Requires Revolabs Solo™ or Fusion™ system. Eight hours of continuous use on a single charge. Recharges in two hours.

JENNE PART NUMBER:
01-EXEMICEX-BLK-11EX

Quarter

01-EXEMIC-BLK-11

Solo™ TableTop Wireless Boundary Microphone

High quality wideband audio for exceptional voice reproduction in a very small form factor. Used with all Revolabs Fusion and Solo Systems. Eight hours of continous use on a single charge. Recharges in two hours, or add the AC adapter accessory, eliminating the need to return the unit to a charger.

JENNE PART NUMBER:S :

05-TBLMICEX-OM-11	Omni-directional
05-TBLMICEX-DR-11	Uni-directional

Omni-directional:
360 degree pick up
Uni-directional: EX
+/- 45 degrees pick up

05-TBLMIC-OM-11

xTag BT Bluetooth Enabled Wireless Mic

Personal Communication Made Wireless

The xTag BT wireless microphone is based on Revolabs' revolutionary wireless audio technology. Designed specifically for desktop and mobile device users, it provides the superior audio quality customers expect from Revolabs along with the freedom of a wireless solution.

FEATURES:
- Superior audio quality
- Wireless freedom
- Up to 8 hours talk time before recharging
- Multiple device support
- Use with a Range of Applications

JENNE PART NUMBER:
02-XTAG-BT

02-XTAG-BT

Professional Wireless Microphone Systems

Revolabs, Inc. delivers innovative wireless audio products for both enterprise collaboration applications and professional audio applications. Their products are used across a wide range of industries including corporations of all kinds, educational institutions, houses of worship, etc. Revolabs wireless microphone systems provide superior audio performance for broadcasting, live sound, audio and video conferencing, distance learning, webcasts and other audio applications. All Revolabs microphones are wireless, secure, rechargeable, flexible, easy-to-use and cost-effective. Revolabs also introduced the first wireless VoIP Conference phone. With the release of the FLX™, Revolabs completes their unified communications offering for the entire enterprise spectrum. The xTag solutions offer premier audio for the PC workspace, FLX satisfies the need for versatility in the small to mid-sized conference rooms, and the HD Executive solutions are designed for boardrooms and mid-sized to large conference rooms.

Executive HD™

4 and 8 Channel HD Wireless Microphone System for Executive Boardrooms and Large Conference Rooms

Revolabs Executive HD 4 and 8 channel system is designed specifically for environments requiring a large number of wireless microphones such as executive boardrooms and conference rooms, also for video conferencing and voice reinforcement. The Executive HD 4 and 8 channel system supports up to 4 or 8 microphones per unit respectively, and also multiple Executive HD systems can be linked together to support up to 32 microphones in Maximum Density Mode.

Features:

- Utilizes Revolabs DFS20™ wide band frequency technology for improved intelligibility of speech.
- Full high definition audio support from 50Hz to 14kHz. • 4 or 8 channels per system, 32 channels maximum.
- RF Armor™ wireless technology means no cell phone interference. • Rechargeable battery = 8 hours talk time, 2 hours to recharge.
- Secure: 128 bit encrypted voice signal for highest level of security between microphones and base station.
- Mix and match HD wireless microphones: wearable, tabletop (omni and directional), XLR adapter for dynamic handheld mic, and Countryman adapter for earset mic.
- LCD display on front of unit to view or change system settings.
- Remote management with HD Control Panel Windows®-based software for monitoring and controlling networked systems.

01-HDEXEC-NM

All microphones sold separately.

Must be Revolabs Certified to purchase – Ask how to become certified.

JENNE PART NUMBER:

01-HDEXEC-NM	HD 8-channel System, without revoCARE
01-HDEXEC4-NM	HD 4-channel System, without revoCARE
01-HDEXEC-NM-1Y	HD 8-channel System with 1 Year revoCARE
01-HDEXEC-NM-3Y	HD 8-channel System with 3 Year revoCARE
01-HDEXEC4-NM-1Y	HD 4-channel System with 1 Year revoCARE
01-HDEXEC4-NM-3Y	HD 4-channel System with 3 Year revoCARE
10-HDCTRLPNL-GOLD	Single Gold HD Control Panel System License

Single/Dual Channel HD Solutions

Single and Dual Channel HD Wireless Microphone Systems

The HD Single/Dual Channel Systems are ideal wherever a wired mic can be used, making the system perfect for video-conferencing, voice lift and PA applications.

Details:

- Includes Charger Base (one or two mic charging docks) and a Base Station • Radio Frequency: 1.92 to 1.93 GHz • Not upgradeable or expandable
- Microphones sold separately (see HD wireless microphones)

Base Station

02-HDDUAL-NM
Mic NOT included

JENNE PART NUMBER:

02-HDSGL-NM-3Y	Single Channel 3 Year Gold revoCARE
02-HDSGL-NM-1Y	Single Channel 1 Year Silver revoCARE
02-HDSGL-NM	Single Channel, without revoCARE
02-HDDUAL-NM-3Y	Dual Channel 3 Year Gold revoCARE
02-HDDUAL-NM-1Y	Dual Channel 1 Year Silver revoCARE
02-HDDUAL-NM	Dual Channel, without revoCARE

HD Wireless Microphones

HD Wireless Microphones

Features:

- Microphones for all RevoLabs HD Wireless Systems

JENNE PART NUMBER:

01-HDEXEMIC-11	HD RF-Armor Wearable
01-HDTBLMIC-OM-11	HD RF-Armor Omni-directional*
01-HDTBLMIC-DR-11	HD RF-Armor Uni-directional*
01-HDXLRMIC-11	HD Dynamic XLR Wireless Adapter
01-HDCOMAN-11	HD Countryman Adapter

*Tabletop Microphones

As shown left to right: XLR Adapter for handheld mic, Countryman adaptor for earset mic, Wearable, Omni-directional tabletop mic, Directional tabletop mic

Professional Wireless Microphone Systems

Solo™ Executive Wireless Microphone System

4 and 8-Channel Wireless Microphone Systems

The Solo Executive components are best suited for permanently installed Audio/Visual systems. RF Armor™ Technology blocks unwanted audio interference and GSM noise from cell phones, etc. Rechargeable battery provides up to 8 hours talk time Secure 128-bit encription, Applicable for Audio conferencing, Video conferencing, Education. Video carts and Installed Audio. Mix and match with any combination of Solo Wireless Microphones.

Features:

- Audio bandwidth: 100Hz–6.8KHz • Wireless • Flexible
- Secure • Rechargeable • Cost-effective • Easy-to-use

JENNE PART NUMBER:

01-EXESYS-BLK-NM-3Y	Solo Executive System, 8-Ch, w/o mics includes 3 Year Gold revoCARE
01-EXESYS-BLK-NM-1Y	Solo Executive System, 8-Ch, w/o mics includes 1 Year Silver revoCARE
01-EXESYS-BLK-NM	Solo Executive System, 8-Ch, w/o mics, without revoCARE
01-EXESYS4-BLK-NM-3Y	Solo Executive System, 4-Ch, w/o mics includes 3 Year Gold revoCARE
01-EXESYS4-BLK-NM-1Y	Solo Executive System, 4-Ch, w/o mics includes 1 Year Silver revoCARE
01-EXESYS4-BLK-NM	Solo Executive System, 4-Ch, w/o mics, without revoCARE

01-EXESYS-BLK-NM
Microphones NOT Included

Solo Wireless Microphones

Solo™ Wearable Wireless Microphone

Exceptional voice reproduction in a very small form factor. Requires Revolabs Solo or Fusion™ system. Up to 8 hours of continuous use on a single charge. Recharges in two hours.

JENNE PART NUMBER:

01-EXEMICEX-BLK-11

01-EXEMICEX-BLK-11

Quarter

Solo™ TableTop Wireless Boundary Microphone

High quality wideband audio for exceptional voice reproduction in a very small form factor. Used with Revolabs Fusion and Solo Systems. Eight hours of continous use on a single charge. Recharges in two hours with up to 8 hours of continuous use, or add the Always-on adapter accessory, eliminating the need to return the unit to a charger.

JENNE PART NUMBER:

05-TBLMICEX-OM-11	Omni-directional
05-TBLMICEX-DR-11	Uni-directional

Omni-directional: 360 degree pick up
Uni-directional: +/- 45 degrees pick up

05-TBLMICEX-OM-11

Solo™ Universal Wireless Adapter

XLR Wireless Adapter for Handheld Microphones

The Solo XLR Wireless Adapter provides a robust and secure wireless link to any dynamic handheld microphone. Wideband audio provides exceptional voice reproduction. Can be used with Revolabs Fusion and Solo Systems. Up to 8 hours of continuous use on a single charge. Recharges in two hours. Perfect for "green" energy-efficient buildings! Enjoy the wireless freedom during open mic meetings, Q&A sessions, classrooms, etc.

JENNE PART NUMBER:

06-XLRMIC-BLK-11

06-XLRMIC-BLK-11

Quarter

Solo Single Channel Solution

Solo Single Channel Wireless Microphone System

Solo Single Channel System is "Plug and Play" with audio/video conferencing systems to improve the sound quality. Includes Base/Charger, USB cable, power supply. Choose your Solo microphone (ordered separately).

Applications:

- Tele-conferencing • Video conferencing • Distance learning • Speech recognition

JENNE PART NUMBER:

02-DSKSYS-LN-NM-3Y	Solo Single Channel System, 1-Ch, USB & line-level I/O, w/o mic includes 3 Year Gold revoCARE
02-DSKSYS-LN-NM-1Y	Solo Single Channel System, 1-Ch, USB & line-level I/O, w/o mic includes 1 Year Silver revoCARE
02-DSKSYS-LN-NM	Base/charger, cable and power supply (order your Solo mic, shown above, separately)

02-DSKSYS-LN-NM

Every effort has been made to ensure the integrity of this catalog. Jenne, Inc. cannot be held responsible for any misrepresentation associated with any products due to omissions, typographic errors or misprints.

Wireless Conference Phone Systems

FLX™

The Conference Phone, Evolved

Revolabs FLX is designed specifically for small-to mid-sized conference rooms, executive offices and SoHo environments. Not designed as a single component like traditional conference phones, the wireless FLX is comprised of several separate components and provides unprecedented freedom in placement of the speaker, microphones and dial pad for optimum sound quality. In an executive office, the speaker and a microphone could be on a small conference table, while the second microphone is on the executive's desk. The superior sound quality of Revolabs FLX patent-pending audio technology allows conferees to feel as if they are all in the same room.

Features:

- **Wireless**
  - No wires on the meeting table, perfect for high end rooms or glass meeting tables.
  - Microphones and speaker are independant of each other so a variety of FLX microphones can be used to match your needs: lapel (1 person), directional tabletop (2-3 people), omni-directional tabletop (6-10 people).
  - Microphones, speaker and dialer can be placed wherever you need them in the room.
- **Flexible**
  - The FLX dialer can be used to set up a conference call or work like a telephone for handset calls. FLX is compatible with all major brands of video conferencing systems and can be used as an audio interface with a video conferencing unit, helping to reduce clutter in the conferencing room. Supports analog or VoIP telephone environments. Compatible with all major SIP telephone systems.
- **Connectivity**
  - Phone, AUX in/out, Bluetooth: FLX can be your sole collaboration device independent of the communication channel you use. Allows connecting to your cell phone or Bluetooth-enabled computer – web calls and cell phone calls can now be conference calls.
- **Secure**
  - 128 bit encrypted voice signal for highest level of security between microphones, speaker and base station, so no one can listen in on your conversation.
- **Premier Audio**
  - Wideband audio support from 80-11,000 Hz = best audio in the conference room and at the far end of the call.
  - Does not steal bandwidth from your WiFi network. FLX uses digital RF wireless technology operating in the 1.9 GHz ISM band which minimizes interference with other technology such as UHF.
  - Cell phone interference is eliminated through Revolabs RF Armor™ Technology.
- **Rechargeable**
  - Speaker and microphones battery life (talk time) up to 8 hours, handset battery life (talk time) up to 8 hours.
- **Cost-effective** • **Easy-to-Use** • **Easy-to-Install**

JENNE PART NUMBER:

10-FLX2-002-POTS	2 mic FLX analog version with 2 wearable mics
10-FLX2-020-POTS	2 mic FLX analog version with 2 directional mics
10-FLX2-200-POTS	2 mic FLX analog version with 2 omni-directional mics
10-FLX2-101-POTS	2 mic FLX analog version with 1 omni-directional and 1 wearable mic
10-FLX2-002-VOIP	FLX 2 VoIP SIP System w/ two Wearable microphones
10-FLX2-020-VOIP	FLX 2 VoIP SIP System w/ two Directional microphones
10-FLX2-200-VOIP	FLX 2 VoIP SIP System w/ two Omni microphones
10-FLX2-101-VOIP	FLX 2 VoIP SIP System w/ one Omni and one wearable microphone

10-FLX2-200-POTS

Fusion™ Wireless Microphone System

Fusion 4 and 8 Microphone Plug and Play Systems

Revolabs Fusion is the complete wireless audio solution for mid- to- large -size conference rooms where installed audio equipment is not available. Revolabs Fusion combines the wireless receiver for the microphones with a digital signal processor, audio mixer, and Acoustic Echo Cancellation and Noise Reduction technology.

To enable telephone conferences, Revolabs Fusion includes a telephone line-in connector that plugs in directly to a telephone network as a conference phone. It also provides a telephone set connection, allowing users to plug a desktop phone in for non-speaker calls. The Revolabs Fusion wireless dialer enables users to set up calls from anywhere in the conference room.

Revolabs Fusion provides all the connectors required for connectivity between speakers or amplifiers in the room. Revolabs Fusion can also be directly connected to most major video conferencing solutions in the field, such as Lifesize, Polycom, Sony and Tandberg, making it the ideal wireless unified communication solution for conference rooms.

The Revolabs Fusion comes in a four or an eight microphone version, making it versatile to cover the audio needs of mid- to- large size conference rooms. As with all Revolabs products, the microphones used with Fusion can be mixed and matched based on the needs of the conference room it is used in. Offered separately, the microphones are sleek in design and come in several different styles: wearable, tabletop directional, tabletop omni-directional, and XLR adapter for handheld and broadcastquality microphones.

All wireless communication between the microphones and the Revolabs Fusion is digitally encrypted using 128-bit encryption technology, securing the communication and preventing unwanted listeners from listening in.

Rechargeable batteries in the microphones, which provide up to eight hours of talk time with a two-hour recharge time. With this wireless solution, Enterprise users can finally move around their conference room, and still be heard!

Features:

• Wireless • Flexible • Rechargeable • Secure • Cost-effective • Easy-to-Use • Easy-to-Install

JENNE PART NUMBER:

Fusion 8-Microphone Plug and Play System:

01-8FUSION-NM-3Y	With 3 year Gold revoCARE
01-8FUSION-NM-1Y	With 1 year Silver revoCARE
01-8FUSION-NM	No revoCARE

Fusion 4-Microphone Plug and Play System:

01-4FUSION-NM-3Y	With 3 year Gold revoCARE
01-4FUSION-NM-1Y	With 1 year Silver revoCARE
01-4FUSION-NM	No revoCARE

Optional:

07-TTDIAL-01	Table Top Dialer

Fusion Bundles available (Contact your Jenne sales representative)

Fusion Wireless System

Tabletop Dialer for Fusion™ Wireless Microphone System

Use the Tabletop Dialer to dial and manage the conference phone numbers for the Revolabs Fusion Wireless Microphone System. Wireless RF remote control with touch pad and digital display with stored memory for quick dialing.

Features:

- Backlit 2 line LCD screen
- Caller ID • Call/hang-up • Volume Control
- Flash/Redial/Mute buttons • Mute/Call in progress indicator lights
- Edit/Store phone numbers • Speed-dial numbers

JENNE PART NUMBER:

07-TTDIAL-01

07-TTDIAL-01

xTag USB Solution for PC

USB Wireless Microphone System

The xTag is ideal for podcasting, VoIP, SKYPE, web conferencing, distance education, speech recognition, and many other audio applications. Connect to a Windows® or an Apple® PC via the USB interface. Does not require any device drivers or other software.

FEATURES:

- Wireless
- Rechargeable
- Secure and Easy-to-Use

JENNE PART NUMBER:

02-DSKSYS-D

02-DSKSYS-D

xTag BT Bluetooth Enabled Wireless Mic

Personal Communication Made Wireless

The xTag BT wireless microphone is based on Revolabs' revolutionary wireless audio technology. Designed specifically for desktop and mobile device users, it provides the superior audio quality customers expect from Revolabs along with the freedom of a wireless solution.

FEATURES:

- Superior audio quality
- Wireless freedom
- Up to 8 hours talk time before recharging
- Multiple device support
- Use with a Range of Applications

JENNE PART NUMBER:

02-XTAG-BT

02-XTAG-BT

Every effort has been made to ensure the integrity of this catalog. Jenne, Inc. cannot be held responsible for any misrepresentation associated with any products due to omissions, typographic errors or misprints.